ASSIGNED

Serial No. 18351

AMENDED APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Dáte	e of filing in State Engineer's Office. SEP 2 3 1959
	urned to applicant for correction
Con	rected application filed
Mar	DEC 2 9 1959
•	The applicans Morlan A. & Jeanne G. Visel
of	Crystal Bay , County of Washoe ,
	e ofNevada, hereby make application for permission to appropriate the public
	ers of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorpora-
	; if a copartnership or association, give names of members.)
17	The source of the proposed appropriation is Lake Tahoe Name of stream, lake or other source.
2.	The amount of water applied for is O.25 second-foot equals 448.83 gals. per min.
	(a) If stored in reservoir give number of acre-feet.
3.	The water to be used for Domestic Purposes Irrigation, power, mining, manufacturing, domestic, or other use.
4.	Irrigation, power, mining, manufacturing, domestic, or other use. If use is for:
	(a) Irrigation (state number of acres to be irrigated)
	(b) Stockwater (state number and kinds of animals to be watered)
	(c) Other use (describe fully under "No. 11. Remarks")
	(d) Power:
	(1) Horsepower developed
	(2) Point of return of water to stream
5.	The water is to be diverted from its source at the following point: in Lot II (SE NE
	T. 16 N. R. 18 E. at a point N. 32° 07' E., 2514 ft. from the sout Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land, west corner Lot III of Sec. 19. T. 16 N. R. 18 E.
_	it should be stated. Place of use in Lot II (SW NEL: SEL NEL) Sec. 19. T. 16 N., R. 18 E.,
6.	Describe by legal subdivision, if on unsurveyed land it should be so stated.
	at a point N. 29° 37' E. 2491.4 ft. from the southwest corner of Lot
	III of Sec. 19, T. 16 N., R. 18 E.
7.	Use will begin about Ian 1 and end about Dec 31 of each year.
8.	Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans
	and specifications of your diversion or storage works.) 3/4 H.P. submergeable pump.
	electrically driven 110 V.A.C. at point of diversion, thence Via State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.
. `•	112 ft 12 in. pipe to point of use (dwelling)

9	Estimated cost of works \$1000.00
	Estimated time required to construct works
	Remarks
11.	
, .	
	the state of the s
Com	pared HS/LB KB/HS Applicant Morlan A. & Jeanne G. Vis
	By s/ John E. Curran
	APPROVAL OF STATE ENGINEER
	This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to
топо	wing limitations and conditions: This permit is issued subject to all existing rights on the

sc	ource. The amount of water granted herein is only a temporary all
ar	ice and the final water right under this permit will be determined
ру	the amount of water actually used. The State retains the right
	egulate the use of the water herein granted at any and all times.
re	egulate the use of the water herein granted at any and all times.
re	egulate the use of the water herein granted at any and all times.
re	egulate the use of the water herein granted at any and all times.
re	egulate the use of the water herein granted at any and all times.
re	gulate the use of the water herein granted at any and all times.
re	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use,
The not (amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, to exceed. O.10 cubic feet per second. and not to exceed.
The	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, so exceed. O.10 cubic feet per second. and not to exceed. 440 gallons per day.
The not (amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, as exceed. O.10 cubic feet per second. and not to exceed. 440 gallons per day. al construction work shall begin on or before. February 16. 196
The not 1	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, a construction work shall begin on or before. The property of the water herein granted at any and all times. The property of the water herein granted at any and all times. The property of the water herein granted at any and all times. The property of the water herein granted at any and all times. The property of the water herein granted at any and all times. The property of the water herein granted at any and all times. The property of the water herein granted at any and all times. The property of the water herein granted at any and all times. The property of the water herein granted at any and all times.
The not 1	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, as exceed. O.10 cubic feet per second. and not to exceed. 440 gallons per day. al construction work shall begin on or before. February 16. 196
The not (amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, a construction work shall begin on or before. The property of the water herein granted at any and all times. The property of the water herein granted at any and all times. The property of the water herein granted at any and all times. The property of the water herein granted at any and all times. The property of the water herein granted at any and all times. The property of the water herein granted at any and all times. The property of the water herein granted at any and all times. The property of the water herein granted at any and all times. The property of the water herein granted at any and all times.
The not (amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, as o exceed. O.10 cubic feet per second. and not to exceed. 440 gallons per day. al construction work shall begin on or before. February 16. 1961. k must be prosecuted with reasonable diligence and be completed on or before. February 16. 1961.
The not 1 Actu	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, to exceed. O.10 cubic feet per second. and not to exceed. 440 gallons per day. al construction work shall begin on or before. February 16. 196 f of commencement of work shall be filed before. k must be prosecuted with reasonable diligence and be completed on or before. March 16. 1962 March 16. 1962
The not the Process App.	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, a concept of the con
The not (1, Actument Processing P	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, as of exceed. O.10 cubic feet per second. and not to exceed. 440 gallons per day. all construction work shall begin on or before. February 16. 1961 k must be prosecuted with reasonable diligence and be completed on or before. February 16. 1962 for completion of work shall be filed before. March 16. 1962 lication of water to beneficial use shall be made on or before. February 16. 1963 in support of proof of beneficial use shall be filed on or before. March 16. 1963
The not (1, Actument Processing P	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, as of exceed. O.10 cubic feet per second. and not to exceed. 440 gallons per day. all construction work shall begin on or before. February 16. 1961 k must be prosecuted with reasonable diligence and be completed on or before. February 16. 1962 for completion of work shall be filed before. March 16. 1962 lication of water to beneficial use shall be made on or before. February 16. 1963 in support of proof of beneficial use shall be filed on or before. March 16. 1963
The not in the proof App. Proof Map. Comp. Proof Culture Coulture	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and o exceed. O.10 cubic feet per second and not to exceed. 440 gallons per day. all construction work shall begin on or before. February 16, 196 for commencement of work shall be filed before. March 16, 1961 K must be prosecuted with reasonable diligence and be completed on or before. February 16, 1962 March 16, 1962 March 16, 1963 in support of water to beneficial use shall be filed on or before. March 16, 1963 in support of proof of beneficial use shall be filed on or before. March 16, 1963 in support of proof of beneficial use shall be filed on or before. March 16, 1963 in support of proof of beneficial use shall be filed on or before. March 16, 1963